

8M

Notice of Allowability	Application No.	Applicant(s)	
	10/741,795	HELVAJIAN ET AL.	
	Examiner	Art Unit	
	Kevin S. Wood	2874	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to _____.
2. The allowed claim(s) is/are 1-19.
3. The drawings filed on 19 December 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT-Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.


AKM ENAYET ULLAH
PRIMARY EXAMINER

ALLOWANCE

Allowable Subject Matter

1. Claims 1-19 are allowed.
2. The following is an examiner's statement of reasons for allowance:

The primary reason for allowance of the claims is the inclusion of a plurality of ceramic components, where one of the glass ceramic components is a patterned component made of photostructruable glass ceramic material, the glass ceramic components being coupled together for forming a support structure.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent Application Publication No. 2005/0053336 to Ito et al.

U.S. Patent Application Publication No. 2004/0184737 to Oono et al.

U.S. Patent Application Publication No. 2002/0102072 to Chan et al.

U.S. Patent No. 6,890,805 to Yamazaki et al.

U.S. Patent No. 6,789,956 to Iwaki et al.

U.S. Patent No. 6,694,069 to Kaneko et al.

U.S. Patent No. 6,605,497 to Yamazaki et al.

U.S. Patent No. 6,477,284 to Oda et al.

U.S. Patent No. 6,444,390 to Yamazaki et al.

U.S. Patent No. 5,337,388 to Jacobwitz et al.

U.S. Patent No. 5,333,225 to Jacobwitz et al.

U.S. Patent No. 5,200,631 to Austin et al.

Each of these references discloses a device similar to that of the claimed invention, however none of these references discloses a glass ceramic component that is a patterned component made of photostructruable glass ceramic material.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin S. Wood whose telephone number is (571) 272-2364. The examiner can normally be reached on Monday-Thursday (7am - 5:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney B. Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Kevin S. Wood


AkM ENAYET ULLAH
PRIMARY EXAMINER